


A-1506



A-4099
A-1031
A-958
A-951
A-961
A-1359
A-4267
A-4162




A-1094

OVALS




GE PP 26

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-961	4-3/8	4-1/8	4-1/2	5-7/32	2-3/32	1-9/16	#0 CORK 33-150 33-400
A-1506	7-1/4	BASE OF NECK	7	5-13/16	2-19/32	1-13/16	#10 CORK SP. CAP
A-1031	8	4-1/2	8-3/4	6-17/32	2-41/64	1-15/32	48-100
A-958	8-3/4	BASE OF NECK	9	6-1/2	2-5/8	1-31/32	38-400 38-150
A-1359	12	5-1/2	11-1/2	7-7/32	2-15/16	2-1/4	38-400
A-1094	12	5-15/16	11-7/8	7-11/16	3-1/4	1-13/16	33-150
A-4267	15	5-5/16	13-3/4	7-5/8	3-3/16	2-11/32	51-400
A-4162	15-7/8	5-3/4	14-1/2	7-3/4	3-7/32	2-15/32	58-400
A-951	16	6-1/2	13-3/4	7-23/32	3-9/32	2-7/16	38-400 38-150
A-4099	17	6-7/32	13-3/4	7-11/32	3-1/32	2-7/16	51-400



B-84
B-85
B-87
B-317



B-555
B-554
B-605

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
B-317	10	6-15/16	12-3/4	9-3/32	3-31/64	1-7/16	#2 RUB.CORK 22-400
B-555	10-5/8	OVERFLOW	11-1/2	8-63/64	3-1/4	1-35/64	#4 RUB.CORK 21-1300
B-84	12	BASE OF NECK	14	9-1/16	3-17/32	1-11/16	#3 RUB.CORK
B-85	16	"	14-3/4	9-1/16	3-51/64	1-7/8	#2 RUB.CORK
B-87	32	"	20-1/2	10-1/16	4-1/4	2-49/64	#3 RUB.CORK 22-400
B-554	32	7-19/32	23	9-29/32	4-19/32	2-25/32	#4 RUB.CORK
B-605	32	8-3/16	22-1/2	9-31/32	4-1/2	2-9/16	#4 CORK

AMMONIA OVALS





B-559
B-556
B-602



AMMONIA
BLUING
OVALS



PAGE PP 28


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
B-1	3	3-5/8	4-1/8	5-1/2	2-3/8	1-1/8	22-400 #3 CORK
B-556	6	4-25/32	7	6-15/64	2-59/64	15/16	#4 CORK
B-2	6	4-1/2	7	6-7/8	2-27/32	1-35/64	#5 CORK
B-3	8	5-3/16	10	8-11/32	2-23/64	1-5/8	#4 CORK
B-36	8-1/2	6-3/32	12-1/4	8-3/32	3-5/8	1-19/32	#4 CORK
B-231	10	6-1/2	12-3/8	8-9/16	3-35/64	1-25/64	22-400 #2 RUB.CORK
B-559	13-1/4	7-1/64	13-1/4	8-39/64	3-9/16	1-5/8	26-600 27-1300
B-602	16	7-7/16	14	9	3-9/16	1-15/16	26-600
B-249	16	BASE OF NECK	14-3/4	8-15/16	3-3/4	1-13/16	"O"-1300 #2 RUB.CORK
B-250	32	"	23	11-5/32	4-3/32	2-17/32	"O"-1300 #2 RUB.CORK




B-320
B-221
B-220



B-38



A-4204




B-22
B-295

MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-4204	3-1/2	4-15/64	6	5-29/32	2-9/32	1-1/8	28-400
B-22	4	4-3/8	6-1/4	6-1/4	2-9/32	1-3/16	#4 CORK
B-320	6	BASE OF NECK	7-1/2	7	2-15/32	1-5/16	#6 CORK
B-38	8	5-3/4	9	7-5/8	2-13/16	1-25/64	24-400 27-150 #6 CORK
B-220	8	5-11/16	10	7-25/32	2-3/4	1-29/64	#6 CORK 27-150
B-295	12	6-1/4	12-1/4	7-7/8	2-63/64	1-49/64	#6 CORK
B-221	20	7-5/8	19	9-7/8	3-19/32	1-61/64	#8 CORK 30-400


POLISH OVALS
OR
OBLONGS



PAGE PP 29



A-3930




NARROW MOUTH
FRENCH
SQUARES



PAGE PP 30

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK	G.C.A.
A-3922	1/8	1-11/32	7/16	1-59/64	21/32	#1	15-425
A-3923	1/4	1-3/4	5/8	2-37/64	3/4	#1	18-400
A-3924	1/2	1-13/16	1	2-11/16	59/64	#1	15-425 18-400
A-3925	1	2-1/2	1-7/8	3-33/64	1-3/32	#2	20-400
A-3926	2	3	2-3/4	4-7/64	1-13/32	#3	22-400
A-3927	3	3-5/8	3-3/8	4-17/32	1-1/2	#3	22-400
A-3928	4	4	5	5-3/32	1-41/64	#4	24-400
A-3929	6	4-5/16	5-1/2	5-19/32	1-55/64	#5	
A-3930	8	5-11/16	6-3/4	6-3/16	2-1/64	#6	28-400
A-3931	12	5-13/16	12	7-1/16	2-5/16	#6	
A-3932	16	6-3/16	14-1/4	8	2-1/2	#7	30-400
A-3933	32	7-1/2	21-3/4	9-1/2	3-1/8	#8	33-400



A-124

MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-114	1/2	BASE OF NECK	1-3/8	2-13/16	1	20-150; 20-400 #3 CORK
A-4737	3/4	2	1-5/8	3-3/32	1-3/64	24-400
A-115	1	BASE OF NECK	2	3-19/64	1-3/16	27-150; 28-400
A-857	1-1/2	"	2-1/4	3-47/64	1-1/4	27-150; 28-400 #6 CORK
A-116	2	3-1/16	3-1/2	4	1-29/64	30-150; 30-400 #10 CORK
A-117	3	BASE OF NECK	4	4-7/16	1-5/8	30-150; 33-400 #8 CORK
A-118	4	"	5	4	1-3/4	33-150; 33-400 #10 CORK
A-119	5	3-15/16	6-1/2	5-3/16	1-15/16	43-400; 43-150
A-121	8	BASE OF NECK	8-1/2	6-1/64	2-1/8	43-150; 43-400 #14 CORK
A-122	10-1/2	"	11	6-57/64	2-9/32	43-400; 43-150
A-123	12	"	12	7-1/16	2-15/32	48-100; 48-400
A-124	16	"	13	8	2-15/32	48-400; 48-100 #20 CORK
A-125	24	"	19	8-9/16	2-13/16	48-100; 48-400
A-126	32	"	23	9-7/64	3-3/16	48-100; 48-400 #21 CORK

WIDE MOUTH
FRENCH
SQUARES



PAGE PP 31




MISCELLANEOUS
FRENCH
SQUARES



PAGE PP 32

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-63	1/4	1-7/16	1	2-1/16	27/32	#2 CORK 20-150 18-400
A-4995	1/4	1-3/16	7/8	2	7/8	18-400
A-4488	1	2-9/32	2	3-23/32	1-1/8	SPEC. CORK 38-150
A-1829	7	BASE OF NECK	7-1/2	5-41/64	2	38-150
A-1922	14	"	12-3/4	7-31/64	2-13/32	48-400 48-100
A-1923	18	"	15	8-11/64	2-35/64	#20 CORK 48-100 48-400
A-1924	20	"	16	8-5/16	2-41/64	48-400 48-100
A-1925	28	"	21	8-31/32	3-1/64	#20 CORK 48-100 48-400
A-1935	40	"	28	10-9/32	3-11/32	48-100 #20 CORK 48-400



A-3949

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH CORK	G.C.A.
A-3945	1/2	1-13/16	1	2-53/64	1-9/64	13/16	#2	18-400
A-3946	1	2-1/4	1-3/4	3-29/64	1-25/64	1	#3	20-400
A-3947	2	2-11/16	3	4	1-23/32	1-19/64	#4	22-400
A-3948	3	3-1/8	3-1/8	4-41/64	1-27/32	1-15/32	#4	22-400
A-3949	4	3-9/16	4-3/4	5-5/32	1-15/16	1-35/64	#5	24-400
A-3950	6	4-3/16	6-3/4	5-23/32	2-1/4	1-25/32	#5	24-400
A-3951	8	4-3/8	8	6-7/32	2-7/16	1-63/64	#7	28-400
A-3952	12	4-15/16	10-1/2	6-63/64	2-13/16	2-1/4	#7	28-400
A-3953	16	5-1/2	13-1/2	7-11/16	3-3/64	2-29/64	#7	30-400
A-3954	32	6-3/4	22	9-1/16	3-51/64	3-1/8	#8	33-400

PARIS SQUARES





NARROW MOUTH
SQUARES



PAGE PP 34

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-4335	1/8	1-11/32	7/16	1-57/64	21/32	#1 CORK
A-4554	1/4	1-9/16	7/8	2-7/32	53/64	15-425
A-4451	1/4	1-1/2	7/8	2-11/64	13/16	#1 CORK
A-4452	1/2	1-7/8	1-1/4	2-39/64	63/64	#2 CORK
A-4144	3	3-3/8	3-1/4	4-17/32	1-35/64	#3 CORK
A-4792	4	3-11/16	5-1/2	4-15/16	1-13/16	20-400
A-2283	8	4-5/8	7-1/4	6-3/8	2-5/64	24-400
A-4654	8	5-1/2	9	7-15/64	1-15/16	28-400
A-1374	16	5-11/16	12	7-11/16	2-5/8	#1-1100
						28-400
A-2284	16	5-3/4	12-1/4	7-19/32	2-19/32	28-400
						#7 CORK
A-2614	16	5-7/8	13	7-19/32	2-5/8	24-400
A-2345	32	7-5/8	22	9-21/32	3-1/2	33-400
						#9 CORK
A-907	128	9-27/32	58-1/4	13-1/8	5-13/32	#12 CORK



A-1728




A-2801




A-176



A-2442



A-2695




A-460

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-2442	1	2-1/2	2	3-13/32	1-1/8	#3 CORK
A-176	1	BASE OF NECK	1-1/2	4-33/64	1-3/16	#1 CORK
A-2695	2	2-11/16	3-1/4	3-11/16	1-15/32	#11 CORK
A-460	3	3-5/8	4	4-1/2	1-17/32	#5 CORK 22-400
A-2801	3	3-5/16	3-7/8	4-11/16	1-9/16	#7 CORK 28-400
A-1728	4	3-5/16	3-3/4	4-13/16	1-49/64	#8 CORK

MISCELLANEOUS
SQUARES





A-1521



A-3487
A-1588



A-1044



A-3222
A-3219
A-3220
A-3221



A-1009

MISCELLANEOUS
SQUARES



PAGE PP 36

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-1588	1/4	BASE OF NECK	1-1/2	2-3/8	1 DIAM.		#1 CORK
A-3487	3-1/2 DR.	"	1-5/8	2-13/32	1-1/8 DIAM.		#1 CORK
A-3219	1/2 oz.	2-7/32	1-1/4	3-1/4	1-1/8	23/32	#1 CORK 18-400
A-3220	1 "	2-1/4	2	3-3/16	1-15/32	1	#2 CORK 18-400
A-1044	1 "	1-3/4	2-3/8	2-21/32	1-3/8 DIAM.		28-400
A-3221	2 "	2-7/8	3-1/4	3-15/16	1-21/32	1-5/16	#3 CORK 20-400
A-3222	3 "	3-5/16	4-3/4	4-11/16	2-3/8	1-53/64	#4 CORK
A-1521	8 "	4-7/16	7	6-13/16	2-1/8 DIAM.		24-400 #2 RUB. CORK
A-1009	10 "	BASE OF NECK	11-1/2	8-1/16	2-5/16 DIAM.		28-400 #7 BRANDY CORK



A-1655



A-3761
A-1698



A-5769



A-3024

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1698	35/64	2-1/16	1	2-39/64	61/64	CORK
A-3761	4	BASE OF NECK	4-1/2	5	1-3/4	#3 CORK
A-3024	4	"	4-3/4	4-31/64	59/64	30-400
A-5769	4-3/32	3-1/2	5-1/4	4-5/16	2	24-400
A-1655	8	4-7/8	7-1/4	5-29/64	2-21/64	33-400


ROUNDED SQUARE




PAGE PP 37



A-153



A-152



A-1773
A-3295

BALMING FLUIDS



PAGE PP 38

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-152	14	5-11/16	11-1/4	7-17/32	2-17/32	28-400
A-153	16	6-1/8	12-3/4	8-1/8	2-33/64	28-400
A-1773	16	BASE OF NECK	13-1/2	8-1/8	2-1/2	28-400 1-1100
A-3295	16	6-5/32	13-7/8	8-1/8	2-19/32	28-400 1-1100



MOLD No.	CAPACITY IN OUNCES	FILLING POINT FR. BASE	CAPACITY BASE OF NECK	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK G.C.A.
A-215	1/4	1-5/16		3/4	2-1/8	25/32	#1 18-400
A-3934	1/2	1-7/8	35/64	1	2-45/64	1-1/32	#2 18-400
A-3935	1	2-3/16	1-1/16	1-1/4	3-13/64	1-15/64	#2 20-400
A-3936	2	2-3/4	2-5/64	2-1/4	3-25/32	1-35/64	#3 22-400
A-3937	3	3-5/16	3-3/32	3-1/4	4-5/16	1-3/4	#3 22-400
A-3938	4	3-3/4	4-9/64	4-5/8	4-15/16	1-57/64	#4 24-400
A-3940	6	4-1/8	6-1/4	5-1/2	5-37/64	2-1/8	#5 24-400
A-3941	8	4-1/2	8-1/8	6-3/4	6-11/64	2-5/16	#6 28-400
A-3942	12	5-7/16	12-5/32	9-1/4	6-7/8	2-39/64	#6 28-400
A-3943	16	5-3/4	16-1/2	11-1/2	7-21/64	2-7/8	#7 30-400
A-3944	32	7-1/4	32-27/64	20	8-15/16	3-5/8	#8 33-400
A-5413	40	7-3/4		23-1/2	9-3/16	3-55/64	33-400

BOSTON ROUND



PAGE PP

OWENS - ILLINOIS GLASS COMPANY



ROUND GLASS
STOPPERED
STON ROUNDS



PP 40

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	GROUND GLASS STOPPER
A-997	1	2-3/16	1-1/4	3-11/16	1-15/64	FB-408
A-218	2	2-3/4	2-1/4	4-3/8	1-35/64	FB-409
A-220	4	3-3/4	4-5/8	5-5/16	1-57/64	FB-411
A-222	8	4-23/32	6-3/4	6-7/8	2-5/16	FB-412
A-224	16	5-3/4	11-1/2	8-3/16	2-7/8	FB-414



A-191

MOLD NO.	CAPACITY IN OUNCES	FILLING POINT FR. BASE	CAPACITY BASE OF NECK	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK G.C.A.
A-187	1	BASE OF NECK	1-1/32	1-5/8	3-5/16	1-1/4	#3
A-178	2	"	69 cc.	2-3/8	3-3/4	1-5/8	#4 20-400
A-189	4	3-5/16	4-3/8	4	5-1/32	1-61/64	#4 24-400 22-400
A-191	8	4-7/16	8-1/2	7-1/4	6-3/16	2-11/32	#6 28-400
A-197	10	4-1/4	10-15/16	8-1/4	6-13/32	2-7/8	#4 24-400
A-192	12	4-7/8	13-3/4	10-3/4	7	2-11/16	#6 24-400
A-209	16	5-3/8	16-5/8	12-1/2	7-5/32	3-1/16	#6 28-400
A-194	16	5-7/16	17-5/16	12	7-5/8	2-31/32	#7 28-400
A-196	32	7-1/8	32-5/8	20-1/4	9-1/16	3-5/8	#9 33-400
A-211	64	7-15/16	72	33-1/2	11-7/32	4-47/64	#11 38-400
A-198	64	8-1/8	68	31	10-5/8	4-11/16	#10 38-400
A-212	80	8-3/4	87	40-1/2	11-13/16	4-31/32	#13 38-400 #14
A-213	128	10-1/2	133	55	13-1/8	5-3/4	#12 38-400

NARROW MOUT
ROUNDS



PAGE PP 41



ROUNDS



GE PP 42

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1999	25 c.c.	BASE OF NECK	1-3/8	3-5/32	1-3/16	#2 CORK
A-1529	3	"	3-3/4	4-11/32	1-47/64	#4 CORK
A-536	4	"	4-5/8	4-15/16	1-7/8	#4 CORK 24-400
A-3639	7	4-9/16	6-3/4	6	2-7/32	#5 CORK
A-2434	8	4-5/8	6	6-11/32	2-25/32	24-400 #1-1100 #5 CORK
A-3732	16	BASE OF NECK	12	7-31/64	2-15/16	#1-1100 30-400
A-2314	16	5-7/8	12-1/2	7-21/32	2-29/32	#1-1100 28-400
A-4996	20	6-13/16	14-3/4	8-1/4	2-31/32	#7 CORK 30-400